



Early Journal Content on JSTOR, Free to Anyone in the World

This article is one of nearly 500,000 scholarly works digitized and made freely available to everyone in the world by JSTOR.

Known as the Early Journal Content, this set of works include research articles, news, letters, and other writings published in more than 200 of the oldest leading academic journals. The works date from the mid-seventeenth to the early twentieth centuries.

We encourage people to read and share the Early Journal Content openly and to tell others that this resource exists. People may post this content online or redistribute in any way for non-commercial purposes.

Read more about Early Journal Content at <http://about.jstor.org/participate-jstor/individuals/early-journal-content>.

JSTOR is a digital library of academic journals, books, and primary source objects. JSTOR helps people discover, use, and build upon a wide range of content through a powerful research and teaching platform, and preserves this content for future generations. JSTOR is part of ITHAKA, a not-for-profit organization that also includes Ithaka S+R and Portico. For more information about JSTOR, please contact support@jstor.org.

sorry to say that smallpox is again on the increase, due no doubt to infection from Marseilles.

Respectfully,

JOHN F. ANDERSON,
Assistant Surgeon, U. S. M. H. S.

The SURGEON-GENERAL,
U. S. Marine-Hospital Service.

Report from Corunna.

CORUNNA, SPAIN, *March 10, 1900.*

SIR: I have the honor to report that the following vessel was inspected and cleared during the week ended March 10, 1900: Steamer *Madrileño* from Liverpool and Santander for Havana via Vigo, with 15 steerage passengers and cargo. There were inspected and passed at this port 87 steerage passengers with baggage.

One death from smallpox was reported during the week. Influenza prevails.

Respectfully,

JULIO HARMONY,
Consul.

The SURGEON-GENERAL,
U. S. Marine-Hospital Service.

TUNIS.

Report from Tunis.

TUNIS, *February 27, 1900.*

SIR: Referring to my last letter of January 12, 1900, I beg to inform you that the general state of health of the regency, after having shown a slight increase in the cases of influenza in the second week of this month, has gone down to its former state, with a tendency to bettering still. The weather is perfectly beautiful since last week.

Respectfully,

ALFRED CHAPELIÉ,
United States Vice-Consul.

Hon. ERNST TIMMES,
Auditor for the Treasury Department.

FOREIGN STATISTICAL REPORTS.

AFRICA—*Cape Town.*—Month of January, 1900. Estimated population, 60,000. Total number of deaths, 250, including diphtheria, 1; enteric fever, 3; measles, 3, and 17 from whooping cough.

BAHAMA.—*Governors Harbor.*—Two weeks ended March 17, 1900. Estimated population, 1,500. Total number of deaths, 2. No contagious diseases.

Green Turtle Cay—Abaco.—Two weeks ended March 15, 1900. Estimated population, 3,900. No deaths and no contagious diseases.

Nassau.—Two weeks ended March 20, 1900. Estimated population, 11,000. Number of deaths not reported. No contagious diseases reported.

BRITISH COLUMBIA—*Vancouver.*—Estimated population, 30,000. Total number of deaths, 26. No deaths from contagious diseases reported.

COLOMBIA—*Cartagena*.—Three weeks ended March 3, 1900. Estimated population, 25,000. Total number of deaths, 13. No contagious diseases reported.

FRANCE—*Nantes*.—Month of February, 1900. Estimated population, 130,000. Total number of deaths, 393, including diphtheria, 4; enteric fever, 9, and 12 from measles.

Roubaix.—Month of February, 1900. Estimated population, 127,234. Total number of deaths, 268, including diphtheria, 3; enteric fever, 1; measles, 5; scarlet fever, 1, and 1 from whooping cough.

GERMANY—*Dresden*.—Month of January, 1900. Estimated population, 401,400. Total number of deaths, 620, including diphtheria, 9; measles, 5; scarlet fever, 1; whooping cough, 18, and 96 from phthisis pulmonalis.

Glauchau.—Month of February, 1900. Estimated population, 27,000. Total number of deaths, 40, including 5 from phthisis pulmonalis.

Weimar.—Month of February, 1900. Estimated population, 29,633. Total number of deaths, 33, including 1 from enteric fever.

JAMAICA—*Kingston*.—Month of February, 1900. Estimated population, 34,314. Total number of deaths, 92, including 18 from phthisis pulmonalis.

JAPAN—*Nagasaki*.—Ten days ended February 20, 1900. Estimated population, 131,000. Total number of deaths not reported. Two deaths from enteric fever.

MALTA.—Two weeks ended January, 1900. Estimated population, 181,698. Total number of deaths, 218, including enteric fever, 1, and 1 from whooping cough.

SPAIN—*Cadiz*.—Month of February, 1900. Estimated population, 58,033. Total number of deaths, 228, including diphtheria, 1; enteric fever, 3, and 1 from measles.